



Chainsaw chain & bar fit guide



For all major chainsaw brands



Grimsholm offer high-performance chainsaw chains for professionals and enthusiasts.
This guide will help you find the right Grimsholm® chain for your work.

For more information please visit ► grimsholm.com


Precision, sharpness, and durability – straight out of the box

Grimsholm saw chains combine Swedish engineering, German steel, and high-precision grinding for optimal cutting performance and long-lasting reliability. Thanks to a unique pre-stretching process, the need for manual adjustments is minimized, allowing you to work efficiently from the very first cut.

Find the right Grimsholm chain for your chainsaw in each brand's compatibility matrix.

For more information please visit ► grimsholm.com

INDEX



Grimsholm Saw chains

Grimsholm saw chains are the result of Swedish engineering, high-quality German steel, precise HQ grinding, and a specialized stretching process. This combination ensures that each chain is sharp and ready for use straight out of the package.

The chains are available in both semi-chisel and full-chisel variants, meeting the needs of professionals and enthusiasts alike.

PREMIUM CUT

Semi-chisel saw chains have rounded corner teeth, which help lower the risk of kickback compared to full-chisel chains.




PREMIUM CUT PRO

Full-chisel saw chains feature square-cornered teeth for more aggressive cutting. However, they carry a higher risk of kickback.




Grimsholm Guide bars

To match the Grimsholm Saw chains we recommend Grimsholm Guide bars that are produced with the same stringent quality control as our saw chains. Utilising advanced heat treatment processes, we achieve a durable product with a highly flexible body. Our guide bars are designed to fit and replace products from leading industry brands – see compatibility details in the table below.




GRIMSHOLM TYPE 1

Husqvarna K041
Oregon K041 & Oregon A041
Carlton 10 & Carlton 10W
Windsor PKU
Timbercut PO
Ratioparts RP 03




GRIMSHOLM TYPE 2

Stihl 3005
Oregon A074
Carlton 26
Windsor ST
Timbercut SW
Ratioparts RP08




GRIMSHOLM TYPE 3

Husqvarna K095
Husqvarna HSM (Small Mount)
Oregon K095 & A095
Carlton 01 & 01W
Windsor C.JL
Timbercut POH
Ratioparts RP 01



GRIMSHOLM TYPE 4

Stihl 3003
Oregon D025
Carlton 42
Windsor 4
Timbercut QR
Ratioparts RP05



GRIMSHOLM TYPE 5

Husqvarna D009
Husqvarna HLM (Large mount)
Oregon D009
Carlton 81
Windsor EM
Timbercut HV
Ratioparts RP 11

Colour-coded – for every chain

Grimsholm saw chain files are designed to deliver optimum cutting performance with their double-cut teeth, while ensuring a smooth and efficient sharpening experience. Engineered with durability in mind, each file is precisely hardened to retain its sharpness over time, helping you achieve consistently sharp chains – whether you are a professional user or a dedicated homeowner.

For easy size identification, all round files are colour-coded by dimension, allowing you to quickly select the right file for the job.

Flat files are available in packs of 1 and 12, while round files are available in packs of 3 and 12.





SEMI-CHISEL

FULL-CHISEL
(PRO)

7

MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
Aspire P5	15.2	5	32	1/4" NK	1.1 mm	781	-	-	3.5 mm	26006	26022
Aspire C15X	25	10	60	1/4" NK	1.1 mm	797	-	-	3.5 mm	26006	26022
	30	12	68	1/4" NK	1.1 mm	-	-	-	3.5 mm	26006	26022
535i XP, T535i XP	25	10	46	0.325"	1.1 mm	752	-	-	4.0 mm	26008	26024
	30	12	51	0.325"	1.1 mm	757	-	-	4.0 mm	26008	26024
	35	14	59	0.325"	1.1 mm	765	-	-	4.0 mm	26008	26024
540i XP, 540 XPG, T540i XP, T542i XP	30	12	51	0.325"	1.1 mm	757	-	-	4.0 mm	26008	26024
	35	14	59	0.325"	1.1 mm	765	-	-	4.0 mm	26008	26024
	40	16	64	0.325"	1.1 mm	770	-	-	4.0 mm	26008	26024
436Li, 536 Li XP, T536Li XP, 120i, 136i, 225i, 330i	25	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
	30	12	45	3/8" LP	1.1 mm	803	-	-	4.5 mm	26010	26026
	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
323P4, 325P5X, 327P4, 327P5X, 136Li	30	12	45	3/8" LP	1.1 mm	803	-	-	4.5 mm	26010	26026
323P4, 325P4X, 325P5X, 327P4, 327P5X, T425	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
135, 236, 236e*, 240e*, 334, 335XPT, 340i, 315, 315E, 315 EL, 317 (1700W), 317 EL (1700W), 321 (2000W), 321 EL (2000W), 333, 334, 334T, 338XPT, 439, T435, T540 XP, T540 XP II, 418 EL, 420 EL, 1400 EL, 1600 EL	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
*Until year 2009											
120, 136, 137, 141, 142, 235, 240, 243, 439, 236e*, 240e*, 240i, 250PS, E16, E316,*	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
From year 2010											
542i XP, 542i XPG	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028
33, 36, 40, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 134, 136, 137 e-series, 141, 142 e-series, 234, 236, 238, 240, 242, 242 XP, 246, 254 XP, 257, 261, 262, E1400, 1400E, E1600, 1500E, 1600E, EL16, 336, 339 XP, 340, 340 e-series, 345, 345 e-series, 346 XP, 350, 351, 353, 357XP, 359, 360, 372 XP, 435, 435e, 435 e-series, 440, 440e, 440 e-series, 444, 445, 445e, 445 e-series, 450, 450e, 450 e-series, 455 Rancher, 455 e-series Rancher, 460, 460 Rancher, 535 FBX (clearing saw), 543 XP/XPG, 545, 545 Mark II, 550 XP/XPG, 550 XP Mark II, 550 XP TrioBrake, 555, 560 XP	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028
	40	16	66	0.325"	1.3 mm	846		947	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	950	4.8 mm	26012	26028

HUSQVARNA








MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
33, 36, 40P, 41, 42, 44, 49, 50, 57, 133, 134, 142 e-series, 154, 234, 238, 240, 242, 242 XP/XPG, 246, 246 XP/XPG, 254, 254 XP/XPG, 257, 261, 262, 262 XP/XPG, 339 XP, 340, 353, 359, 360, 362 XP, 365, 435e, 440e, 444, 445, 445e, 450e, 543 XP/XPG, 535FBX, 545, 550 XP/XPG, 555, 560 XP/XPG, 562 XP/ XPG, 576 XP/XPG, EL16, EL1200, EL1400, EL1500, EL1600	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028
	50	20	80	0.325"	1.5 mm	-	-	-	4.8 mm	26012	26028
61, 65, 66, 70, 77, 160, 162, 181, 185, 254, 254 XP/XPG, 260, 266, 266 XP, 268, 268 XP, 272, 272 XP/XPG, 281, 281 XP, 285, 288, 288 XP, 298, 298 XP, 362 XP, 365, 365 XP, 371, 371 XP/XPG, 372 XP/XPG, 380, 385 XP, 390 XP, 390 XPG, 394, 394 XP/XPG, 395, 395 XP/XPG, 455, 480, 545, 555, 560 XP/XPG, 562 XP/XPG, 565, 570 XP, 572 XP, 575 XP, 576 XP/XPG, 1100, 2100, 2101, 2100 XP, 2101 XP, 3120 XP	38	15	56	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	40	16	60	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	45	18	64	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	45	18	68	3/8"	1.5 mm	908	912	996	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	997	5.5 mm	26018	26034
Polesaw: 120iTK4-P, 530iP4, 530iPT5, 525PT5S	25	10	58	1/4" NK	1.3 mm	778	-	-	4.0 mm	26008	26024
	30	12	64	1/4" NK	1.3 mm	-	-	-	4.0 mm	26008	26024
Polesaw: 530iPX	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024

OREGON



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
PS250	20	8	34	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
CS1500	45	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
CS250	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
CS300	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
GTA 26	10	4"	28	1/4"	1.1 mm	780	-		3.5 mm	26006	26022
MSA 60 C-B, MSA 70 C-B, MSA 120 C, MSA 140 C	25	10"	56	1/4"	1.1 mm	795	-	976	3.5 mm	26006	26022
	30	12"	64	1/4"	1.1 mm	799	-	977	3.5 mm	26006	26022
MSA 80 C-B, MSA 160.0 C-B/MSA 200.0 C-B	25	10"	56	1/4"	1.1 mm	795	-	976	3.5 mm	26006	26022
	30	12"	64	1/4"	1.1 mm	799	-	977	3.5 mm	26006	26022
	35	14"	72	1/4"	1.1 mm	800	-	-	3.5 mm	26006	26022
MSA 161 T	25	10"	57	1/4"	1.1 mm	-	-	976	3.5 mm	26006	26022
	30	12"	65	1/4"	1.1 mm	-	-	977	3.5 mm	26006	26022
MSA 300 C-O	35	14	60	0.325"	1.3 mm	843		-	4.8 mm	26012	26028
	40	16	67	0.325"	1.3 mm	847	894	-	4.8 mm	26012	26028
	45	18	74	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
	50	20	81	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
009, 017, 019T, 0231, E14, E140, MS170, MS 170-D, MS171, MS180, MS 180 C-BD, MS 180 C-BE, MS181, MS181C-BE, MS190, MS190T, MS192, MS192C-E, MS192T, MS193 C-E, MS194 C-E, MS200T, MS201T, MSE140, MSE140 C-BQ, MSE141, MSE141 C, MSE141 C-O, MSE170, MSE170 C-Q, MSE170 C-BQ, MSA220 C-B, MSA220 TC-O	30	12	44	3/8" LP	1.1 mm	802	-	-	4.5 mm	26010	26026
	35	14	50	3/8" LP	1.1 mm	804	-	-	4.5 mm	26010	26026
	40	16	55	3/8" LP	1.1 mm	813	-	-	4.5 mm	26010	26026
HT101, HT131, 009, 010, O11, 012, 015, 018/CQT, 020, 0207, 021/CQT, 023/C/COT, 025, AV Electronic, E10, 14, 160, 180/CQT, MS170, MS180, MS180 C-BD, MS180 C-BE, MS181, MS181 C-BE, MS190, MS190T, MS192 C-E, MS192T, MS192TC-E, MS193 C-E, MS193T, M5200, MS200T, MS201, MS201 C-M, MS201T, MS201TC-M, MS210, MS210C-BE, MS210C-BQ, MS211, MS211C-BE, MS230, MS230C-BE, MS231*, MS231C-BE*, MS241*, MS241C-BEM*, MS241C-M*, MS241C-MQ*, MS241C-MVW *, MS250, MS250C-BE, MS251*, MS251C-BE*, MSE140, MSE160, MSE160C-BQ, MSE170, MSE180, MSE180C-B0, MSE190C-B, MSE190C-0, MSE190C-BQ, MSE200, MSE200C-BQ, MSE210, MSE210C-B, MSE210C-BQ, MSE230, MSE230 C-B, MSE230C-B0	30	12	44	3/8" LP	1.3 mm	807	-	--	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	925	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	930	4.0 mm	26008	26024

*Chain pitch may vary by year





MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
MS251*	35	14	56	0.325"	1.3 mm	840	890	-	4.8 mm	26012	26028
	40	16	62	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
*Chain pitch may vary by year											
MS251C-BE	35	14	57	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
	40	16	63	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
MS261, MS261C-BM, MS261C-M, MS261C-M VW, MS271, MS271C-BE	35	14	60	0.325"	1.3 mm	843	-	-	4.8 mm	26012	26028
	38	15	62	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
	40	16	67	0.325"	1.3 mm	847	894	-	4.8 mm	26012	26028
MS231*, MS241*, MS241C-M*, MS251*	35	14	56	0.325"	1.6 mm	878	872	-	4.8 mm	26012	26028
	40	16	62	0.325"	1.6 mm	879	874	980	4.8 mm	26012	26028
	45	18	68	0.325"	1.6 mm	882	-	990	4.8 mm	26012	26028
*Chain pitch may vary by year											
MS231C-BE *, MS251C-BE, MS251C-BEQ*	35	14	57	0.325"	1.6 mm	-	-	-	4.8 mm	26012	26028
	40	16	63	0.325"	1.6 mm	-	-	980	4.8 mm	26012	26028
	45	18	68	0.325"	1.6 mm	882	-	990	4.8 mm	26012	26028
*Chain pitch may vary by year											
MS240, MS260, MS260C-B, MS260-W, MS260-DW, MS260C-BW, MS261, MS261C-BE, MS261C-Q, MS261C-M, MS261C-M VW, MS261C-BM, MS261-VW, MS270, MS270C-B, MS271, MS271C-BE, MS280, MS280C-B, MS280C-BQ, MS280i, MS280C-BI, MS280C-BQI, MS291	33	13	56	0.325"	1.6 mm	878	872	992	4.8 mm	26012	26028
	38	15	62	0.325"	1.6 mm	879	874	993	4.8 mm	26012	26028
	40	16	67	0.325"	1.6 mm	881	876	994	4.8 mm	26012	26028
	45	18	74	0.325"	1.6 mm	887	-	-	4.8 mm	26012	26028
MS290, MS291, MS310, MS311, MS390, MS391, MS341, MS361, MS361 C-B, MS361C-BQ, MS361C-Q, MS361-W, MS361-VW, MPS362, MS362C-B, MS362 C-Q, MS362C-M, MS362C-MQ, MS362V-W, MS362 C-M VW, MS400 C-M, MS440, MS440-D, MS440-W, MS441, MS441C-M, MS441C-M VW, MS441-W, MS460, MS460C-M, MS460-W, MS461, MS462C-M, MS462C-M VW, MS650, MS660, MS660-W, MS661, MS661C-M, MS661C-M VW, MSE220C-Q*, MSE250, MSE250C-BQ, MS500i, MS500i W*	38	15	56	3/8"	1.6 mm	-	-	-	5.5 mm	26018	26034
	40	16	60	3/8"	1.6 mm	-	-	-	5.5 mm	26018	26034
	45	18	66	3/8"	1.6 mm	852	856	998	5.5 mm	26018	26034
	50	20	72	3/8"	1.6 mm	854	858	999	5.5 mm	26018	26034
	30	12	44	3/8" LP	1.1 mm	802	-	-	4.5 mm	26010	26026
*57 drive link for 15" bar											
Polesaw: HTA66	25	10	56	1/4" NK	1.1 mm	795	-	976	3.5 mm	26006	26022
Polesaw: HTA50, HTA65, HTA85, HTA86, HT102, HT103, HT132 & HT133, HTA135	25	10	56	1/4" NK	1.1 mm	795	-	976	3.5 mm	26006	26022
	30	12	64	1/4" NK	1.1 mm	799	-	977	3.5 mm	26006	26022




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
RY18PS15A	15	6	28	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
RY18CS20A, OPP1820, RY18PSX20A, RPP720, RPP1820LI, RPP1815S, RPP182015, RPP182020	20	8	33	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
RY36PP25A, APR04, RXPR01	25	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
RCS36, OCS1830, RY36CSX30B, RCS18X3050F, RCS1830 Akku	30	12	45	3/8" LP	1.1 mm	803	-	-	4.5 mm	26010	26026
RCS36X35HI, RCS36X3550HI	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
RPP750S	20	8	33	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
RPP755E	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
RCS33, RCS35, RCS40, RCS42, RCS3335, RCS-3335C, PCN-3335, RCS3535A, RCS3535B, RCS3535CA, RCS3535CB, RCS3535C2, RCS3835T, RCS4235B, RY36CSX35A, RCS1835B, RCS18352C, RCS1935, RCS1935B, RCS1935B2C, KS33B-SET	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
35B, CS36C, CS41, CSE3330, CSE385CB, HC31, HC36, HC41, HCS31, HCS36	30	12	44	3/8" LP	1.3mm	807	-	915	4.0 mm	26008	26024
	35	14	49	3/8" LP	1.3mm	811	-	920	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3mm	830	-	-	4.0 mm	26008	26024
RY36CSX40B, RCS2340B, RCS4240B	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
RCS2340, ECS2040, RCS3540C, RZC3540C	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
RCS4040CA, RCS4040CB, RCS3840T	40	16	59	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
RCS4046C	46	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
RY36CSX50A	50	20	70	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
RY18PSX10A	10	4	24	0.325"	1.1 mm	-	-	-	4.0 mm	26008	26024
RY18PSX15A	15	6	30	0.325"	1.1 mm	-	-	-	4.0 mm	26008	26024
RY18CSX30A	30	12	51	0.325"	1.1 mm	757	-	-	4.0 mm	26008	26024
RCS5133C, RCS5133CB	33	13	56	0.325"	1.3 mm	840	890	-	4.8 mm	26012	26028
RCS4640C, RCS5140B, PCN-3840, PCN-4040	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028
PCN-4545, RCS4446C2	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028

STIGA



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
PR730	25	10	60	1/4" NK	1.3 mm	-	-	-	4.0 mm	26008	26024
CS300E	30	12	45	3/8" LP	1.1 mm	803	-	972	4.5 mm	26010	26026
	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
CS100E	25	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
PS700E, PS900E	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
PR700E	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
CS540	35	14	53	3/8" LP	1.3 mm	827	-	-	4.0 mm	26008	26024
CS700E, CS118C	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
CS122C	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
SMT500 AE	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
SE1.6, SE1.8, SE182, SP340	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	925	4.0 mm	26008	26024
SPR500AE	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
P382S	40	16	56	3/8" LP	1.3 mm	832	-	930	4.0 mm	26008	26024
SC80AE	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
A3700, A375, A4000, A405, C1.8E, C1.8ET, C2.0E, C2.0ET, C2.2E, C2.2ET, C38, C38T, CP40, CS48Li14, EA1800, EA2000Q, ES2040, ES2040T, SC48AE, SE180, SE 180Q, SE1814Q, SE190, EL2416Q, SEV2416Q, SP350, SP352, SP375, SP375Q, SP386, XC238, XC240	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
SP37, SP316, SP372, SP375Q, SP386	35	14	53	3/8" LP	1.3 mm	827	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
SP246, SP370, SP405Q, SP410, SP426	33	13	56	0.325"	1.3 mm	840	890	-	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	-	4.8 mm	26012	26028
	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028

STIGA



MODELL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
CS545	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028
PS46, PS52, PS460, PS510, SP 466, SP 526	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028
CS750, CS755	45	18	72	0.325"	1.5 mm	870	906	-	4.8 mm	26012	26028

BOSCH



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
Universal Chain 18, Universal Chain Pole 18	20	8	33	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
Akkusäge 30Li	30	12	45	3/8" LP	1.1 mm	803	-	972	4.5 mm	26010	26026
AKE30/17S, AKE3000, AKE35, AKE35S, AKE35/17S, AKE3500E, AKE40, AKE40S, AKE40/17S, AKE4000, AKE30/18S, AKE35/18S, AKE35/19, AKE35/19S, AKE 35 S/19S, AKE40/19S, AKE40/17S, AKE4000, AKE30/18S, AKE35/18S, AKE35/19, AKE35/19S, AKE40/19S, 35 Uni, Universal 35, UniversalChain 35, UniversalChain 40, AKE 40 S/SDS/-19 Pro/-19S, Akkusäge 30Li, AKE30 Li	30	12	45	3/8" LP	1.1 mm	803	-	972	4.5 mm	26010	26026
		14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
1586.7, 1586.8, AKE30B, AKE35B, AKE40B, BKE30, GKE35B, GKE35BC, GKE40BC, PKE25, PKE30B, PKE35B, PKE40B, PKE40, AKE30/19 Pro, AKE35/19 Pro, AKE40/19 Pro, from 2006: AKE3000, AKE3500, AKE4000, AKE Edition, GKE35BCE, GKE40BCE	40	16	57	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
		14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
AKE45S	45	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024

JONSERED



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
370, 380, 2035, 2036**, 2040**, CS2115EL, CS2116EL, CS 2117EL, CS2118EL, CS2121EL, 2135, 2135T, 2138, 2139T, 2234*, 2236T, 2238*, 2238S	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
*Until year 2009 **Model exist in more than one chain pitch											
2033TH, 2137, 2138, 2234*, 2238*	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
*From year 2010											
EL14, 45, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 452, 455, 490, 520, 525, 535, 590, 2012, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063, CS2141, CS2145, CS2147, CS2149, CS2150, CS2152, CS2153, CS2156, CS2159, CS2163, CS2240, CS2240 II, CS22405, CS 22405 II, CS2245, CS22455, CS 2245 S II, CS 22505, CS 22505 II, CS2252, CS2253, CS2258, CS2260	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	950	4.8 mm	26012	26028
EL1200, EL14, 45, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 452, 455, 490, 510, 520, 525, 535, 590, 2012, 2014, 2015, 2036**, 2040**, 2041, 2045, 2050, 2051, 2054, 2055, 2063, CS45E, CS52E, CS451, CS2137, CS2141, CS2145, CS2147, CS2149, CS2150, CS2152, CS2153, CS2156, CS2159, CS2163, 2240, 2245, 2250, 2252, 2253, 2255, 2258, 2260	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028
**Model exist in more than one chain pitch											
625, 630, 670, 670 Champ, 670 Super, 2063, 2065, 2071, 2077, 2083, 2094, 2095, 2171, 2172, 2165, 2163, 2186, 2188	38	15	56	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	40	16	60	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	45	18	68	3/8"	1.5 mm	908	912	996	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	997	5.5 mm	26018	26034

MEEC




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
Cordless Chainsaw 40 V, Item no. 025258	36	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
Cordless Chainsaw 40 V, Item no. 018259	36	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
Cordless Chainsaw 40 V, Item no. 011229	36	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
Cordless Chainsaw 18 V, Item no. 013184	25.4	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
Cordless Chainsaw 18 V, Item no. 013185	25.4	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
Electric Chainsaw 2000 W 16" 230 V, Item no. 010582	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
Electric Chainsaw 1800 W 14" 230 V, Item no. 010576	36	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
Meecc 37.2 cc	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
Meecc Chainsaw 46 cc	40	16	66	0.325	1.5 mm	867	-	-	4.8 mm	26012	26028

KÄRCHER




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
CNS 18-30	30	12	45	3/8" LP	1.1 mm	803	-	-	4.5 mm	26010	26026
CNS 36-35	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
PSW 18-20	20	8	33	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
CS 400/36 Bp	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
MT 36 + MT CS 250/36	25	10	58	1/4" NK	1.3 mm	778	-	-	4.0 mm	26008	26024




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
UC3020A, UC3520A, UC4020A, EA3200535A, EA3201S35A, DCS 34, DUC300, DUC353Z, EA3200535A, EA3201S35A, UC3541A, UC4041A	30	12	46	3/8" LP	1.1 mm	812	-	972	4.5 mm	26010	26026
	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
	40	16	56	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
DCS230T, DCS232T, EA3100T-25B	25	10	42	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
BUC250, BUC 250RDE, BUC 250Z	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
BUC122RFE, BUC250RDE, BUC250Z, 3500A, 4000A, DES341, DES330S, DES350, DES390, DES400, VC3000A, DES380, DES300, DES340, DES401, 400, 5012B, DCS330TH, DCS401	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	30	12	46	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
UC 3000	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
BUC250RDE, BUC250Z, DCS232-T, DCS3410TH-35, DCS3500, DCS2501, DCS4610, DCS4610-35, EA3100T-25B, EA32005-35, EA32005-408, EA32015-35, UC3030A, UC3520A, UC3530AP, UC4020A, UC4030AP, UC4530A, UC4530AP	30	12	46	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	25	10	40	3/8" LP	1.3 mm	806	-	-	4.0 mm	26008	26024
	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	30	12	46	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
DCS430, DCS520, DCS4300, DCS4300i, DCS4301, DCS4301-38, DCS5200i, EA4300F-38C	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
	45	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028
DCS-410, DCS-411	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	950	4.8 mm	26012	26028
	33	13	56	0.325"	1.3 mm	840	890	-	4.8 mm	26012	26028
DCS-410, DCS-411	38	15	64	0.325"	1.3 mm	845	893	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028

MAKITA




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
DCS430, DCS460, DCS461, DCS500, DCS501, DCS520, DCS4300, DCS4600S, DCS4630-38, DCS5200	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028
DCS6000I, DCS6400, DCS6401-45, DCS7300, DCS7301-45, DCS7900, DCS7901-50, EA7900P-50E	38	15	56	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	43	17	64	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034
	45	18	68	3/8"	1.5 mm	908	912	-	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034

GREENWORKS



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
GD24CS30 (CSG401)	30	12	45	3/8" LP	1.1 mm	803	-	-	4.5 mm	26010	26026
GD40CS18	40	16	56	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
GD24X2CS36 (CSE405)	36	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
G40PSH	-	-	-	-	-	-	-	-	-	-	-
G24CS25 (CSG301)	25	10	40	3/8" LP	1.3 mm	801	-	-	4.5 mm	26010	26026
GD40CS15	35	14	-	-	-	-	-	-	-	-	-

DEWALT





MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
DCMCST635X1-QW, DCMCST635N-XJ	30	12	-	-	-	-	-	-	-	-	-
	35	14	-	-	-	-	-	-	-	-	-
	40	16	-	-	-	-	-	-	-	-	-
DCMPS520P1-QW, DCMPS520N-XJ	20	8	-	-	-	-	-	-	-	-	
DCMCS575X1-QW, DCMCS575N-XJ	50	-	-	-	-	-	-	-	-	-	
DCMCS574X1-QW, DCMCS574N-XJ	45	-	-	-	-	-	-	-	-	-	
DCM565P1-QW, DCM565N-XJ	30	12	45	3/8" LP	1.1 mm	803	-	972	4.5 mm	26010	26026
DCM575N-QW	40	16	56	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026

BLACK & DECKER



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
GK1817, GKC1817, GPC 1800	20	8	34	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
CS1635	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
CS30, CS35, DN400, DN401, DN402, DN404, DN412, DN416, GK30, GK120, GK300, GK310, GK320, GK321, GK322, GK330, GK331, GK430, GK435, GK440, GK535, GK540, GK425, GK35, GK1430, GK1440, GK1630, GK1630T, 35T, 40T, GK1635TX	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
GK1635TX-QS	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
GK1640T	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
GK1940T, GK2240T	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
Pole Saw BG-EC 620T, GE-EC 720T, GC-LC 1815T, GE-HH 18/45 Li T	20	8	33	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
GE-LC 18 Li, GE-CL 18 Li	25	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
GE-LC 36/35 Li	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
GC-LC 750 T Kit, GC-EC 750 T Kit, GE-HC 18 Li T	20	8	33	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
EK1535, EK1540, PES30/2, PES34/2, PES34/3, PES35, Profi, PES35/2TS, PES35/3, PES35/3TS, PES40/3, PKS35/1AV, PKS40/1AV, PES1540, PES1640, KSE1640, KSE1435, KSE2000, PES2000	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
BKS 38-35, MKS 35/35	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
RBK 3735, BG-PC1235, BG-PC3735, GC-PC 1235, GC-PC 1335, GC-PC143SITCKIT35, GH-EC 1835	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
BG-PC1235, GH-PC 1535TC, GC-PC 1235 I	35	14	53	3/8" LP	1.3 mm	827	-	920	4.0 mm	26008	26024
MKS1940, MKS38/41, RBK1440	40	16	54	3/8" LP		-		-			
PES 1640/1, PES 1740, PES 1840/1	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
GC-PC-2040, GH-EC 2040/2240	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
Pro Work PEK 1840, REK 1840, RBC 4640, REK 2040WK, BG-EC1840, BG-EC2040, RG-EC2240S, REK2048, SCS2000, RBK 4040, BG-PC4040, EKS 1840, EKS 2040 P, PEK 1840 KSE2000, KSE2040WK, PKS2040WK, PKS 1635, PKS 1840	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
EKS 1845, MKS 38/45, MKS 42/45, RBK1745	45	18	60	-	-	-	-	-	-	-	-
PKS45/1AV, PKS50/1AV	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028
RBK 4645, RBK 5045, BG-PC5045	45	18	72	0.325"	1.5 mm	870	906	-	4.8 mm	26012	26028




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
EKI2200/40	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
1400E, 1500E, 2000, 2300, 25A, E125, BKS35/35 II, E1200, KE3000, KE3500, KE3500 Vario, KE4000, KS1300, KSB1300, KSB1300B, KS Superluxe, KSB Superdeluxe KE180/40s	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
BKS40, BKS40II, KB400, KB4500	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
KB450, KB3500, KB3501, KB4000, KB4001, KB4500, KE1800/40S	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
KE40-16/18	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
KE1600/40, KE1635/35, KE1750/40	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
KE1800/35	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
KB35/35, KB38/40, 1750W35, 1750W40	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
KB38/40 = 526-AC3107	40	16	54	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
526 (AC3107 16-38), KE1800/35, AC310714-38, BKS35/35, BKS42/45	40	16	54	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
KB5000	45	18	72	0.325"	1.5 mm	870	906	-	4.8 mm	26012	26028

ECHO




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
CS-285EVL, CS-290EVL, CS-300EVL, CS-302, CS-315, CS-320EVL, CS-328, CS-330EVL, CS-360EVL, CS-2600, CS-2800, CS-2900, CS-3000, CS-3050, CS-3400, CS-3450/4400, CS-3500, E155, ECS-150/1850FT, ECS-2000/3000/3050	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
CS-360EVL, CS-400EVL, CS-440EVL, CS-3600, CS-3700, CS-3900, CS-4000, CS-4200, CS-4010, CS-4050, CS-4400, CS-4500, CS-4510, CS-4600, CS-4601, CS-4610, CS-5000, CS-5100	33	13	56	0.325"	1.5 mm	860	898	-	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	-	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	-	4.8 mm	26012	26028
CS-60S, CS-451VL, CS-452VL, CS-500EVL, CS-500VL, CS-510EVL, CS-550EVL, CS-600EVL, CS-602VL, CS-610EVL, CS-650EVL, CS-660EVL, CS-702VL, CS-750EVL, CS-5500	40	16	60	-	-	-	-	-	-	-	-
	45	18	64	-	-	-	-	-	-	-	-
	50	20	70	-	-	-	-	-	-	-	-
CS-5501, CS-6700, CS-6701, CS-8000	40	16	60	-	-	-	-	-	-	-	-
	45	18	64	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034

WORX






MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
WG384E	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
WG322E	25	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026
WG385E			56	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
WG324E			28	1/4" NK	1.1 mm	780	-	-	3.5 mm	26006	26022
WG349E	20	8	33	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026

PARTNER



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
1436, 1641	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026
	40	16	56	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026
335, 340, 345, 350, 351, 365, 370, 375, 380, 390, 395, 420, EL1200, EL1435, EL1440, EL1500, P340S, P351, P352, P370, P371, P390CCS, P391, P410CCS, P420CCS, P422, P470, P542E, P740, P842 Combi, P1535, P1550, P1840, P1850	30	12	45	3/8" LP	1.3 mm	809	-	915	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
	45	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
P740	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
Formula 60, P842	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
ES2200	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
EL1450, EL1650, 405, 410, 460, 470, 510, 540, 4700, P411, P461, P462, P462CCS, P500, P511, P540H, P543, P4200, P4600, P5200, P5300	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	950	4.8 mm	26012	26028
360, 400, 450, 465, 490, 495, 500, 510, 540, 545, 605, Minifarmersaw, P500, P5000, P5500	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028
P538, P538E, P1540, P1640, P538, P538E	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
P542	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
P371	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
P538, P538E	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
P722T	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO	
Pole Saw EE-150, ME-246.4	25	10	40	-	-	-	-	-	-	-	-	-
ES-2A, ES-31A, ES-31, ES-33A, ES-36A, ES-38A, ES-40A, PS-2, PS-3, PS-4, PS-32C, PS-32C TLC, PS-34, PS4/35, PS-36, PS-38A	30	12	46	3/8" LP	1.1 mm	812	-	-	4.5 mm	26010	26026	
	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026	
	40	16	56	3/8" LP	1.1 mm	-	-	-	-	-	-	
ES-4AQS, ES-5AQS, ES-32A QS, ES-37AQS, ES-41AQS	30	12	46	3/8" LP	1.1 mm	812	-	-	4.5 mm	26010	26026	
	35	14	52	3/8" LP	1.1 mm	805	-	-	4.5 mm	26010	26026	
	40	16	56	3/8" LP	1.1 mm	-	-	-	4.5 mm	26010	26026	
PS220TH, PS221TH, PS222TH	25	10	40	-	-	-	-	-	-	-	-	
100, 1008S, 101, 102, 103, 104, 105, 106, 108, 275, 285, 290, 295, ES-3, ES-6AQS, ES-30, ES-35, ES-61AQS, ES-42A, ES-140, ES-151A, ES-152A, ES-152AQS, ES-153A, ES-160, ES-161A, ES-162A, ES-162AQS, ES-163A, ES-171A, ES-172A, ES-172AQS, ES-173A, ES-1600, ES-2035A, ES-2035AP, ES-2040A, ES-2135A, ES-2135AP, ES-2140AES, ES-2140 AP, PS-32C, PS33, PS-34, PS-35C, PS-35CTL, PS-39ES, PS41, PS-41QS, PS-2, PS-45, PS-45QS, PS-330, PS-330QS, PS-340, PS-340QS, PS-341, PS-341 Happy Start, PS-344, PS-3410, PS-350, PS-350C, PS-350SC, PS-390QS, PS-400, PS-400QS, PS-401, PS-401OS Happy Start, PS-3300TH, PS-3400TH, PS-3410 TH, PS-3410TH TLC	30	12	46	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024	
	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024	
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024	
113, 111, 110i, 115i	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028	
	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028	
	45	18	72	0.325"	1.3 mm	850	896	950	4.8 mm	26012	26028	
PS-410, PS-411, PS-420, PS-420C, PS-420SC	33	13	56	0.325"	1.3 mm	840	890	-	4.8 mm	26012	26028	
	38	15	64	0.325"	1.3 mm	845	893	-	4.8 mm	26012	26028	
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028	
105, 108, 111, 115i, PS-460, PS-4600S, PS-4605, PS-4605H, PS-500, PS-500C, PS-5000, PS-5000H, PS-5105C, PS-5105CH, PS-5105CX, PS-6100, PS-6100H	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028	
	38	15	64	0.325"	1.5 mm	865	903	965	4.8 mm	26012	26028	
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028	
	45	18	72	0.325"	1.5 mm	870	906	970	4.8 mm	26012	26028	
109, 111, 112, 114, 115i/H, 116, 116Si, 117, 119, 120 Super/SI, 219, PS-43, PS-52, PS-460, PS-4600S, PS-5000, PS-500, PS-500C, PS-630, PS-5000H, PS-5105, PS-5105C, PS-5105H, PS-6000i/H, PS-6100, PS-6100H, PS-6400, PS-6400H, PS-6800i/H, PS-7300, PS-7300H, PS-7310, PS-7310H, PS-7900, PS-7900H, PS-7910, PS-7910H, PS-9000, PS-9010	38	15	56	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034	
	40	16	60	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034	
	45	18	64	3/8"	1.5 mm	-	-	-	5.5 mm	26018	26034	
	45	18	68	3/8"	1.5 mm	908	912	996	5.5 mm	26018	26034	
	50	20	72	3/8"	1.5 mm	910	914	997	5.5 mm	26018	26034	
101, 200, 201, 260	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024	
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024	

CUB CADET



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
CS3916	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
CS5018, CS5220	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
	50	20	78	0.325"	1.3 mm	-	-	-	4.8 mm	26012	26028
CS5720	45	18	68	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	50	20	72	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
POLE SAW: PS26	25	10	40	3/8" LP	1.1 mm	801	-	-	4.5 mm	26010	26026



METABO




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
5338	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	925	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	930	4.0 mm	26008	26024
KT1441	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
1441	40	16	59	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
1530	33	13	56	0.325"	1.5 mm	860	898	960	4.8 mm	26012	26028




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
EF15E	30	12	45	3/8" LP	1.1 mm	803	-	-	4.5 mm	26010	26026
17E, 114E, 116, 134, 135, 136, 140	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
131	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
EF17E	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
MTH400	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
EF19E	40	16	57	3/8" LP	1.3 mm	834	-	-	4.0 mm	26008	26024
138, 141	33	13	56	0.325"	1.3 mm	840	890	-	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
142, 146, 147, 151, 152, 156, 162	33	13	56	0.325"	1.5 mm	860	898	-	4.8 mm	26012	26028
	38	15	64	0.325"	1.5 mm	865	903	-	4.8 mm	26012	26028
	40	16	66	0.325"	1.5 mm	867	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.5 mm	870	906	-	4.8 mm	26012	26028
170, 171, 180, 181	40	16	60	-	-	-	-	-	-	-	-
	47	19	68	3/8"	1.5 mm	908	912	-	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034
	63	25	88	-	-	-	-	-	-	-	-




MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
CS360T	40	16	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
CS330, CS340-16, CS350, CS380, CS390, Inline 1800T	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
CS380T	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
CS400T	45	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
CS410, CS450, CS450 Elite	33	13	56	0.325"	1.3 mm	840	890	940	4.8 mm	26012	26028
	38	15	64	0.325"	1.3 mm	845	893	945	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	950	4.8 mm	26012	26028
CS410T	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
6, 16, 35, 36, 39, 40, 41, 240, 474, 484, 735, 740, 835AV, 3214, 3216, 3516, 3518, C180, California/Arizona, California 90, CAT35, CAT45, Daytona 900, Eagerbeaver, EB2, ElectraMac 1040, ES22, ES26, E30ES, E35ES, E40ES, EuroMac14, GTS32, M1030E, M1035E, M1040E, Mac1, Mac2, 2B, Mac120, Mac130, Mac140, Mac538, Mac540, Mac832, Mac835, Mac836, Mac837, Mac838, Mac839, Mac940, Mac-Cat, MC310, Mini-Mac832/833, MM30, MM35, PM6, PM7, PM36, PM310, PM320, PM330, PM340, PM360, PM364, PM370, PM374, PM380, PM400, PM470, PM474, PM480, PM484, PM510, PM730, PM930, PowerMac6, PowerMac 1840T, ProMac7, ProMac36, Statesmansenator, S33, S34, Titan7	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
Arizona, ElectraMac 230, 235, 2000, ElectraMac 1035, 1030, EM16, 10, 12, 16, 16E, EuroMac ES22, EuroMac S39/S41, Mac12, Mac 14HC1, Mac 538, Mac930, 935, Mac-Cat 839/540, 310, 330, PM394, PM494, PM360, 36, 4, 730, 930, S12, 14A/S, Serie S450, Wildcat	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
ElectraMac16E, 838, Hobby Star 32	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	40	16	54	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Titan 41, Titan 46, 4600, 4700, 4900, 5000, Promac 38/40/46, 4011, 4611, Timber Bear 842/846/848	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 7-10, 10-10, 55, 57, 60, 70, 80, 555, 605, 610, 645, 650, 655, 700, 800, 805, 850, CP55, CP70, CP70L, DE50, 57, 70, 955, 1000, PM570, PM605, PM610, PM645, PM650, PM655, PM700, SP60, SP81, Timber Bear 610, 650, 655, Titan50	40	16	60	-	-	-	-	-	-	-	-
	50	20	71	-	-	-	-	-	-	-	-
ElectraMac 230, ElectraMac 235	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
ElectraMac 312, ElectraMac 312S, ElectraMac 314, ElectraMac 314S, ElectraMac 316, ElectraMac 316S	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
ElectraMac 330, ElectraMac 335	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
ElectraMac 340, ElectraMac 414, ElectraMac 416	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
ElectraMac ES22, ElectraMac ES24, ElectraMac ES26, ElectraMac 240	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
Mac 20X Power	45	18	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
Mac 120	30	12	44	3/8" LP	1.3 mm	807	-	-	4.0 mm	26008	26024
Mac 335, Mac 435	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
Mac 418XT	36	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
Mac 538	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac 538E	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024





MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
Mac 539E	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
Mac 540	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac 540E	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac 542E	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac 545	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac 545E	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac 833, Mac 835	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
Mac 836, Mac 838	35	14	49	3/8" LP	1.3 mm	811	-	-	4.0 mm	26008	26024
	40	16	54	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
Mac Cat T441	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
Mac California, Mac California 2000 Kit	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac California 42cc	45	18	60	3/8" LP	1.3 mm	836	-	-	4.0 mm	26008	26024
Mac Cat 436	35	14	52	3/8" LP	1.3 mm	825	-	-	4.0 mm	26008	26024
Mac Cat 440, Mac Cat 441	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
Mac Cat 438, Mac Cat 442	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
	45	18	62	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
Mac S36	40	16	54	3/8" LP	1.3 mm	-	-	-	4.0 mm	26008	26024
E Promac 1900, E Promac 2200	35	14	50	3/8" LP	1.3 mm	815	-	-	4.0 mm	26008	26024
	40	16	55	3/8" LP	1.3 mm	830	-	-	4.0 mm	26008	26024
Promac 10-42, Promac 10-49	38	15	64	0.325"	1.3 mm	845	893	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
Promac 33	30	12	45	3/8" LP	1.3 mm	809	-	-	4.0 mm	26008	26024



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
Promac 40, Promac 40 II, Promac 46	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
Promac 46 II	40	16	66	0.325"	1.3 mm	846	-	-	4.8 mm	26012	26028
	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
Promac 51	40	16	60	-	-	-	-	-	-	-	-
	45	18	68	3/8"	1.5 mm	908	912	-	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034
Promac 54 Deko	40	16	60	-	-	-	-	-	-	-	-
	45	18	68	3/8"	1.5 mm	908	912	-	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034
Promac 60	40	16	60	-	-	-	-	-	-	-	-
	45	18	68	3/8"	1.5 mm	908	912	-	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034
Promac 61 Deko	40	16	60	-	-	-	-	-	-	-	-
	45	18	68	3/8"	1.5 mm	908	912	-	5.5 mm	26018	26034
	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034
Promac 72	50	20	72	3/8"	1.5 mm	910	914	-	5.5 mm	26018	26034
Timber Bear 842, Timber Bear 846	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028
4-18XT	35	14	52	3/8" LP	1.3 mm	825	-	920	4.0 mm	26008	26024
Titanium 420, Mac 4-20 XT	40	16	56	3/8" LP	1.3 mm	832	-	-	4.0 mm	26008	26024
Xtreme 3.0	38	15	64	0.325"	1.3 mm	845	893	-	4.8 mm	26012	26028
Xtreme 3.4	45	18	72	0.325"	1.3 mm	850	896	-	4.8 mm	26012	26028

MILWAUKEE



MODEL	CM	INCH	DL	PITCH	GAUGE	GRIMSHOLM SAW CHAIN	GRIMSHOLM SAW CHAIN PRO	GRIMSHOLM GUIDE BAR	GRIMSHOLM FILE	FILE 3 PCS ART NO	FILE 12 PCS ART NO
M18 FTHCHS35, M18 FTHCHS35-802, M18 FTHCHS35-0	35	14"	59	0.325" 8.3 mm	1.1 mm	#765	-	-	4,0 mm	26008	26024
"M18 FTHCHS30, M18 FTHCHS30-802, M18 FTHCHS30-0 M18 FTSP30, M18 FTSP30 -121, M18 FTSP30-0"	30	12"	51	0.325" 8.3 mm	1.1 mm	#757	-	972	4,0 mm	26008	26024
M18 FCHS35, M18 FCHS35-122, M18 FCHS35-0	35	14"	52	3/8" LP 9.5 mm	1.1 mm	#805	-	-	4,5 mm	26010	26026
M18 FCHSC, M18 FCHSC-122, M18 FCHSC-0	30	12"	45	3/8" LP 9.5 mm	1.1 mm	#803	-	972	4,5 mm	26010	26026
M18 FCHS, M18 FCHS-122, M18 FCHS-0	40	16"	56	3/8" LP 9.5 mm	1.1 mm	-	-	-	-	-	-
M18 F2CHS50, M18 F2CHS50-802, M18 F2CHS50-0	50	20"	78	0.325" 8.3 mm	1.3 mm	-	-	-	-	-	-
M18 FHS20, M18 FHS20-552, M18 FHS20-0	20	8"	33	3/8" LP 9.5 mm	1.1 mm	-	-	-	-	-	-
M12 FHS, M12 FHS-602X, M12 FHS-0	15	6"	28	3/8" LP 9.5 mm	1.1 mm	-	-	-	4,5 mm	26010	26026
M18 FOPH-CSA	25	10"	40	3/8" LP 9.5 mm	1.1 mm	#801	-	-	4,5 mm	26010	26026



grimsholm.com

GRIMSHOLM® PRODUCTS AB

EXCELLENCE IN GARDEN & FORESTRY ACCESSORIES

Åkarevägen 39 | 311 32 Falkenberg | Sweden
+46 (0) 346 73 80 00 | info@grimsholm.com



Grimsholm® is a registered trademark within EU, China, and other applicable countries. Products wearing the Grimsholm® brand are often accessories compatible with machinery of other brands. Compatibility is communicated with the best of intentions to respect each trademark owner. All Grimsholm® labelled products are produced by Grimsholm Products AB and its partners without any cooperation with the trademark owner of the machine the accessory is compatible with. As a distributor or retailer of Grimsholm you are expected to respect the rights of each trademark owner and only use the Grimsholm® trademark as well as other trademarks mentioned in accordance with all applicable laws and regulations.